

DECKING SPECIFICATION TABLE

Pioneer

REAL WOOD REPLICATED IN A REINFORCED PVC COMPOSITE



lmage	Profile	Description	Cap material	Dimensions	Lengths	Mass (kg/m)	Coverage (m/m²)	Span	Fastener type	Fasteners/m²	Slip rating
		PIONEER Grooved profile	Polymer wear layer	145 x 21 mm	5450 mm	2.68	6.7	450 mm	Chain collated clips	16 clips	P4
		PIONEER Starter board profile	Polymer wear layer	145 x 21 mm	5450 mm	2.72	6.7	450 mm	Chain collated clips and face fasteners	16 Clips and 16 screws	P4



LIGHTWEIGHT, CAPPED **COMPOSITE DECKING**



Image	Profile	Description	Cap material	Dimensions	Lengths	Mass (kg/m)	Coverage (m/m²)	Span	Fastener type	Fasteners /m²	Slip rating
***		Infinity I-Series Grooved profile	Engineered polymer	135 x 25.4 mm	5450 mm	2.8	7.1	450 mm	Hidden clip	18 clips	P2
600		Infinity I-Series Starter board profile	Engineered polymer	135 x 25.4 mm	5450 mm	2.7	7.1	450 mm	Hidden clip & face fastener	18 Clips and 18 screws	P2







FASTENER SPECIFICATION TABLE





DECKING FASTENERS

Image	Profile	Description	Material	Gap	Timber fastener	Metal fastener	Oty/pack	Coating	Colour	Comments
		HULK S-series clip and screw for timber frames	Stainless steel SS305	6 mm	~	-	125	Zinc-epoxy coating	Black	Drill bit included
		HULK S-series clip and screw for metal frames	Stainless steel SS410	6 mm	-	✓	125	Zinc-epoxy coating	Black	Drill bit included
J. J		CHAIN collated clip and screw for timber frames	Polymer coated stainless steel	6 mm	✓	-	150	PE polymer	Black	-
J. J	111111111111111111111111111111111111111	CHAIN collated clip and screw for metal frames	Polymer coated stainless steel	6 mm	-	~	150	PE polymer	Black	-
-		CHAIN T15 Bit	-	N/A	N/A	N/A	2	-	Silver	Included in CHAIN clip packs. Sold separately.
-		CHAIN hand tool	Stainless steel	N/A	N/A	N/A	1	Powder coated	Black	Hand tool sold separately. T15 Bit included.
STATE AND ADDRESS OF THE PARTY		Composite decking screw (CDS)	Stainless steel (SS316) & carbon steel (C1022)	N/A	✓	-	75	Zinc-epoxy coating	Range of colours	TX20 Bit included
S. Contraction of the Contractio		Metal frame decking screw (MDS)	Carbon steel (C1022)	N/A	-	✓	75	Zinc-epoxy coating	Range of colours	TX20 Bit included





Distributed by: ITI Australia

Email: salesqld@iti.net.au 62 Creek St, Bundamba QLD 4304

Contact: ITI QLD (Brisbane): 07 3436 8400



FASTENER COLOUR GUIDE

HULK FASTENERS.

COLOUR	PIONEER	INFINITY		
LIGHT GREY	-	Caribbean Coral		
DARK GREY	-	Concrete Grey		
BEIGE	Blackbutt	-		
TAN BROWN	Spotted Gum	-		
LIGHT BROWN	-	Oasis Palm Spanish Saffron		
BROWN	_	Tiger Cove		



Distributed by: