

ALL WEATHER FLEX GAP FILLER



DESCRIPTION

All Weather Flex is a highly flexible, exterior grade, paintable acrylic gap filler that cures to form an extremely durable seal. All Weather Flex is ideal for use as a gap filler for high stress applications and for external use due to superior flexibility and high weather resistance. Very easy to apply, colourfast and waterproof once cured. Can be painted after 30 mins.

APPLICATIONS

All Weather Flex has many uses including: sealing around window frames, window sills, skirting boards, cornices, tiles (except showers), staircases, architraves, trims, wall and floorboards and coving. Sealing gaps and cracks in plastered wall and ceilings. Excellent adhesion to multiple surfaces including wood, MDF, particle board, plywood, fibre cement sheet, plasterboard, concrete, masonry including brick and blockwork, cement render, polystyrene foam, tiles, ceramics, aluminium, weatherboard, etc.

FEATURES & BENEFITS

- Superior flexibility 25%
- Ideal for exterior applications
- Weatherboard
- High crack resistance
- Water clean up

Colour		Size	Item Code
White	<input type="checkbox"/>	300ml	129181



Similar products in the industry

Polvifilla Professional M40



Selleys No More Gaps



Polvifilla Professional W50



FILL & PAINT GAP FILLER



DESCRIPTION

Fill & Paint is a professional quality, paintable, acrylic gap filler that cures to form a durable, flexible seal. Fill & Paint is a general purpose interior / exterior gap filler that remains flexible. Fill & Paint has a smooth finish with low shrinkage and has good adhesion to most common building materials including wood, MDF, particle board, plywood, fibre cement sheet, plasterboard, concrete, masonry including brick and block work, cement render, polystyrene foam, tiles, ceramics, aluminum. Over paintable in 20mins.

APPLICATIONS

Fill & Paint has many uses including: sealing around skirting boards, cornices, tiles (except showers), window frames, staircases, architraves, trims, wall & floorboards and coving. Sealing gaps and cracks in plastered wall and ceilings.

FEATURES & BENEFITS

- Paintable in 20 mins
- 10% Flexibility
- Non slump
- Water clean up

Colour		Size	Item Code
White	<input type="checkbox"/>	300ml	122394



Similar products in the industry

Selleys No more Gaps Fast Dry



Polyfilla Professional S20



Bostik Gap Seal



LIGHT SPEED FILLER



DESCRIPTION

Light Speed Filler is a high quality, rapid drying, lightweight filler which does not shrink and is used for the filling and sealing of pinholes, drill holes, gaps and cracks in walls and ceilings made from timber, plaster, drywall panels, concrete, brick and other porous substrates.

APPLICATIONS

Suitable to use on filling holes and cracks in plaster, concrete, drywall panels. Filling and repair of gap and cracks, drill holes, screw holes in wall and ceilings. Shrink-free finishing of seams on decorative profiles.

FEATURES & BENEFITS

- Ready mixed
- Does not shrink
- Rapid drying
- Light weight
- Easy to clean with damp cloth

Color		Size	Item Code
White	<input type="checkbox"/>	250 mL	132673
	<input type="checkbox"/>	900 mL	132672



Similar products in the industry

SELLEYS Spakfilla Rapid



GSA Fast Filler



Sika One strike Filler



UNIVERSAL BOG FILLER



DESCRIPTION

Universal Bog is a heavy duty, high quality two-part repair filler with excellent adhesion on a wide range of surfaces for internal and external use. Universal Bog will not shrink or rot and is fully waterproof and has good gap filling properties. Fast setting, can be sanded after 20mins and once cured it can be cut, trimmed, chiseled, painted, screwed, drilled and nailed.

APPLICATIONS

Ideal to repair gaps, cracks, holes, dents or replacing damaged or missing sections of timber, architraves, cavities, concrete & masonry, window frames, metal, aluminum, most plastics (pre-test), fiberglass, building sheets, tiles, etc.

FEATURES & BENEFITS

- Wide range of application on a variety of surfaces
- Repairs gaps, cracks, holes and dents
- Smooth and easy to apply
- Does not shrink, slump or sag
- Will not rot and remains waterproof

Color		Size	Item Code
Ivory	<input type="checkbox"/>	750 g 1.5 kg	132560 132561

Similar products in the industry

SELLEYS, Tradies Bog



HB Fuller FulaFill



TURBO Builder's Bog



REPAIR EXPRESS CEMENT



DESCRIPTION



Repair Express Cement is a high quality filler with granular structure for easy and shrink free repairing of cracks and joints in concrete.

APPLICATIONS

Repair Express Cement can be used for repairing holes and cracks in concrete and cement, repairing of joints in brickwork and in concrete.

FEATURES & BENEFITS

- Very good adhesion to many porous surfaces in indoor and outdoor applications
- Very fast curing
- **Does not shrink**
- Paintable
- Internal & external use

Color		Size	Item Code
Grey		300 mL	125786
Beige		300 mL	128000

