



Inspired by the beauty of natural timber, Hurford's latest collection Supacore has been precisely created by a team of interior experts.

Each design has been thoughtfully developed to appeal exclusively to the Australian market, with beautiful grain structures, warmth of colour and attention to detail.

| Profile | Feature | Benefit |
|-------------|-------------------|---|
| | Micro Bevel Edges | Micro bevel edges create a small V-shape between each board for an authentic look. |
| L | Core | Limestone composite core board with up to 75% limestone powder. Resulting in a stable core that has minimal expansion and contraction. |
| 6.5 | 6.5mm Thickness | Each product is 6.5mm thick, providing extra soft and warm 6.5mm cushioning underfoot. 5mm plank + 1.5mm IXPE backing = 6.5mm overall. |
| Finish | Feature | Benefit |
| | Matte Finish | Boards with a matte finish reflect the natural look and feel of timber. |
| | Woodgrain | Boards have an authentic timber woodgrain look. |
| 0.55mm | Wear Layer | A 0.55mm wear layer protects the surface of your vinyl plank flooring from everyday wear and tear. |
| \$ 6 | Waterproof | Continue the timber look through your living zones and wet areas including bathrooms and laundries. Supacore can be wet mopped. |











CARBON

CHESTNUT

FRENCH GREY









HARBOR GREY

KHAKI

SANDSTONE SPOTTED GUM

I FLOORCARE

We want your Supacore flooring to look its best for years to come, so here are some guidelines to help you achieve that:

Day to Day

- Sweep or vacuum to remove loose dirt, grit or dust
- Use clean mops and natural cleaning solutions to regularly clean your floor
- Dilute the floor cleanser to manufacturers instructions
- Mop the floor evenly
- Collect excess liquid in a mop bucket
- Rinse the floor with clean water and allow to dry

Please do:

- Install mats at entrances to collect grit and moisture
- Fit furniture with protective pads to prevent scratches
- Remove spillages as quickly as possible to reduce risk
- Regularly trim pets claws

ACCESSORIES

Scotia – Matching scotia available per piece Size: 2400mm x 14mm x 28mm




Please do not:

- Use abrasive liquids or metal scouring pads
- Clean the floor with solvents, washing up liquids, soap powders, bleach, furniture polish, petrol-based products, pine gels, stain removers
- Drag furniture with unprotected bottoms across the floor

Stair Nosings – Matching stair nosings available per piece

Size: 2400mm x 110mm x 30mm





COMMERCIAL SPECIFICATIONS

Technical Data

Type: Hybrid

Thickness: 5mm + backing (6.5mm overall)

Wear layer: 0.55mm

Dimensions: 1500 (L) x 180mm (W)

Planks per box: 6

 M^2 per box: 1.62 m^2 M^2 per pallet: 89.10 m^2 Colours: 8

Install Method: Drop Lock Finish: Matte

Surface: Aus = embossed, oaks = EIR

Top layer: Decorative film & wear layer

Substrate layer: Limestone composite

Backing layer: 1.5mm IXPE
Profile: Micro bevel
Protective coating: UV coating

Performance

Dimensional stability: \leq 0.04mmAbrasion rating:Group TResidual indentation: \leq 0.03mmImpact sound reduction:IIC = 54Light fastness: \geq 6

Fire classification: Available on Request Slip resistance: Available on Request

Residential warranty: 25 Years* Light commercial warranty: 10 Years*

